

Interactions between GHRH and GABAARs in the brains of patients with epilepsy and in animal models of epilepsy


Shirong Tang¹ Zhong Luo¹ Xiaowei Qiu¹ Yanke Zhang² Xi Lu² Hao huang¹ Zhongxiang Xu¹ Zucai Xu¹

Human Neocortex

GHRH



GAPDH




Interactions between GHRH and GABAARs in the brains of patients with epilepsy and in animal models of epilepsy

Shirong Tang¹ Zhong Luo¹ Xiaowei Qiu¹ Yanke Zhang² Xi Lu² Hao huang¹ Zhongxiang Xu¹ Zucai Xu¹


KA-induced model

hippocampus

GHRH



GAPDH




Interactions between GHRH and GABAARs in the brains of patients with epilepsy and in animal models of epilepsy

Shirong Tang¹ Zhong Luo¹ Xiaowei Qiu¹ Yanke Zhang² Xi Lu² Hao huang¹ Zhongxiang Xu¹ Zucai Xu¹


KA-induced model

cortex

GHRH



GAPDH



Interactions between GHRH and GABAARs in the brains of patients with epilepsy and in animal models of epilepsy

Shirong Tang¹ Zhong Luo¹ Xiaowei Qiu¹ Yanke Zhang² Xi Lu² Hao huang¹ Zhongxiang Xu¹ Zucai Xu¹

PTZ kindling model

hippocampus

GHRH

con

Epilepsy



GAPDH

con

Epilepsy



Interactions between GHRH and GABAARs in the brains of patients with epilepsy and in animal models of epilepsy

Shirong Tang¹ Zhong Luo¹ Xiaowei Qiu¹ Yanke Zhang² Xi Lu² Hao huang¹ Zhongxiang Xu¹ Zucai Xu¹

PTZ kindling model

cortex

GHRH

GAPDH

